

| | | | | | | | |
|---|--|--|--|---|--|--------------------------------------|--|
| FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | | | | Attorney Docket No. 015389-002600 | | Serial No.: 08/912,951 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | | Applicant: Thomas R. Cech <i>et al.</i> | | | |
| (37 CFR § 1.98(b)) | | | | Filing Date: August 14, 1997 | | Group Art Unit: 4815 1646 | |

| U.S. PATENT DOCUMENTS | | | | | | | |
|--|----|------------------------|------------|----------------------------|-------|----------|-------------|
| Examiner Initials | | Serial / Patent Number | Issue Date | Applicant / Patentee | Class | Subclass | Filing Date |
| <i>JMS</i> <div style="border-left: 1px solid black; height: 100%; width: 10px; margin: 0 auto;"></div> | AA | 3,817,837 | 06/18/74 | Tanenholtz <i>et al.</i> | 195 | 103.5 | 05/14/71 |
| | AB | 3,850,752 | 11/26/74 | Schuurs <i>et al.</i> | 195 | 103.5 | 10/29/71 |
| | AC | 3,939,350 | 02/17/76 | Kronick <i>et al.</i> | 250 | 365 | 04/29/74 |
| | AD | 3,996,345 | 12/07/76 | Ullman <i>et al.</i> | 424 | 12 | 06/30/75 |
| | AE | 4,275,149 | 06/23/81 | Litman <i>et al.</i> | 435 | 7 | 11/24/78 |
| | AF | 4,277,437 | 07/07/81 | Maggio | 422 | 61 | 12/10/79 |
| | AG | 4,366,241 | 12/28/82 | Tom <i>et al.</i> | 435 | 7 | 08/07/80 |
| | AH | 4,683,195 | 07/28/87 | Mullis <i>et al.</i> | 435 | 6 | 02/07/86 |
| | AI | 4,683,202 | 07/28/87 | Mullis | 435 | 91 | 10/25/85 |
| | AJ | 4,816,567 | 03/28/89 | Cabilly <i>et al.</i> | 530 | 387 | 04/08/83 |
| | AK | 4,965,188 | 10/23/90 | Mullis <i>et al.</i> | 435 | 6 | 06/17/87 |
| | AL | 5,583,016 | 12/10/96 | Villeponteau <i>et al.</i> | 435 | 91.3 | 10/27/94 |
| | AM | 5,489,508 | 02/06/96 | West <i>et al.</i> | 435 | 6 | 03/24/93 |

| FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS | | | | | | | | |
|--|----|-----------------|------------------|-------------------------|-----------------|------------------|-------------|----|
| | | Document Number | Publication Date | Country / Patent Office | Class | Subclass | Translation | |
| | | | | | | | Yes | No |
| <i>JMS</i> | AN | WO 84/03564 | 09/13/84 | PCT | G01N | 33/54 | | |

| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | |
|--|----|---|
| <i>JMS</i> | AO | Zakian, "Telomeres: Beginning to Understand the End," <i>Science</i> 270:1601 [1995]; |
| <div style="border-left: 1px solid black; height: 100%; width: 10px; margin: 0 auto;"></div> | AP | Blackburn and Gall, "A tandemly repeated sequence at the termini of the extrachromosomal ribosomal RNA genes in <i>Tetrahymena</i> ," <i>J. Mol. Biol.</i> , 120:33 [1978]; |
| | AQ | Oka <i>et al.</i> , "Inverted terminal repeat sequence in the macronuclear DNA of <i>Stylonychia pustulata</i> ," <i>Gene</i> 10:301 [1980]; |
| | AR | Klobutcher <i>et al.</i> , "All gene-sized DNA molecules in four species of hypotrichs have the same terminal sequence and an unusual 3' terminus," <i>Proc. Natl. Acad. Sci.</i> , 78:3015 [1981]; |
| | AS | Lingner <i>et al.</i> , "Telomerase RNAs of different ciliates have a common secondary structure and a permuted template," <i>Genes Develop.</i> , 8:1984 [1994]; |
| | AT | Biessmann <i>et al.</i> , "Addition of Telomere-Associated HeT DNA Sequences "Heals" Broken Chromosome Ends in <i>Drosophila</i> ," <i>Cell</i> 61:663 [1990]; |
| | AU | Sheen and Levis, "Transposition of the LINE-like retrotransposon TART to <i>Drosophila</i> chromosome termini," <i>Proc. Natl. Acad. Sci.</i> , 91:12510 [1994]; |
| | AV | Kipling and Cooke, "Hypervariable ultra-long telomeres in mice," <i>Nature</i> 347:400 [1990]; |
| | AW | Starling <i>et al.</i> , "Extensive telomere repeat arrays in mouse are hypervariable," <i>Nucleic Acids Res.</i> , 18:6881 [1990]; |
| | AX | Shampay and Blackburn, "Generation of telomere-length heterogeneity in <i>Saccharomyces cerevisiae</i> ," <i>Proc. Natl. Acad. Sci.</i> , 85:534 [1988]; |
| | AY | Lustig and Petes, "Identification of yeast mutants with altered telomere structure," <i>Proc. Natl. Acad. Sci.</i> , 83:1398 [1986]; |
| <i>JMS</i> | AZ | Sandell <i>et al.</i> , "Transcription of yeast telomere alleviates telomere position effect without affecting chromosome stability," <i>Proc. Natl. Acad. Sci.</i> , 91:12061 [1994]; |

| | |
|--|---------------------------------|
| Examiner <i>Joni R. Schermer</i> | Date Considered: <i>9/25/98</i> |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | |

| | | | | |
|---|----|--|---|--------------------------------------|
| FORM PTO-1449 (Modified) | | U.S. Department of Commerce Patent and Trademark Office | Attorney Docket No.: 015389-002600 | Serial No.: 08/912,951 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | Applicant: Thomas R. Cech <i>et al.</i> | |
| | | | Filing Date: August 14, 1997 | Group Art Unit: 4815 1646 |
| (37 CFR § 1.98(b)) | | | | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | |
| MS | BA | Chan, and Tye, "Organization of DNA sequences and replication origins at yeast telomeres," <i>Cell</i> 33:563 [1983]; | | |
| | BB | Wright <i>et al.</i> , "Saccharomyces telomeres assume a non-nucleosomal chromatin structure," <i>Genes Develop.</i> , 6:197 [1992]; | | |
| | BC | Gottschling and Cech, "Chromatin Structure of the Molecular Ends of Oxytricha Macronuclear DNA: Phased Nucleosomes and a Telomeric Complex," <i>Cell</i> 38:501 [1984]; | | |
| | BD | Blackburn and Chiou, "Non-nucleosomal packaging of a tandemly repeated DNA sequence at termini of extrachromosomal DNA coding for rRNA in <i>Tetrahymena</i> ," <i>Proc. Natl. Acad. Sci.</i> , 78:2263 [1981]; | | |
| | BE | Braunstein <i>et al.</i> , "Transcriptional silencing in yeast is associated with reduced nucleosome acetylation," <i>Genes Develop.</i> , 7:592 [1993]; | | |
| | BF | Makarov <i>et al.</i> , "Nucleosomal Organization of Telomere-Specific Chromatin in Rat," <i>Cell</i> 73:775 [1993]; | | |
| | BG | Tommerup <i>et al.</i> , "Unusual chromatin in human telomeres," <i>Mol. Cell. Biol.</i> , 14:5777 [1994]; | | |
| | BH | Watson, "Origin of concatemeric T7 DNA," <i>Nature New Biol.</i> , 239:197 [1972]; | | |
| | BI | J. Olovnikov, "A theory of marginotomy: The incomplete copying of template margin in enzymic synthesis of polynucleotides and biological significance of the phenomenon," <i>J. Theor. Biol.</i> , 41:181 [1973]; | | |
| | BJ | Henderson and Blackburn, "An overhanging 3' terminus is a conserved feature of telomeres," <i>Mol. Cell. Biol.</i> , 9:345 [1989]; | | |
| | BK | Wellinger <i>et al.</i> , "Saccharomyces Telomeres Acquire Single-Strand TG ₁₋₃ Tails Late in S Phase," <i>Cell</i> 72:51 [1993]; | | |
| | BL | Zahler and Prescott, "Telomere terminal transferase activity in the hypotrichous ciliate <i>Oxytricha nova</i> and a model for replication of the ends of linear DNA molecules," <i>Nucleic Acids Res.</i> , 16:6953 [1988]; | | |
| | BM | Lingner <i>et al.</i> , "Telomerase and DNA End Replication: No Longer a Lagging Strand Problem?," <i>Science</i> 269:1533 [1995]; | | |
| | BN | Yu <i>et al.</i> , "In vivo alteration of telomere sequences and senescence caused by mutated <i>Tetrahymena</i> telomerase RNAs," <i>Nature</i> 344:126 [1990]; | | |
| | BO | Singer and Gottschling, "TLC1: Template RNA Component of <i>Saccharomyces cerevisiae</i> Telomerase," <i>Science</i> 266:404 [1994]; | | |
| | BP | Autexier and Greider, "Functional reconstitution of wild-type and mutant <i>Tetrahymena</i> telomerase," <i>Genes Develop.</i> , 8:563 [1994]; | | |
| | BQ | Gilley <i>et al.</i> , "Altering specific telomerase RNA template residues affects active site function," <i>Genes Develop.</i> , 9:2214 [1995]; | | |
| | BR | McEachern and Blackburn, "Runaway telomere elongation caused by telomerase RNA gene mutation," <i>Nature</i> 376:403 [1995]; | | |
| | BS | Blackburn, "Telomerases," <i>Ann. Rev. Biochem.</i> , 61:113 [1992]; | | |
| | BT | Greider, "Telomere Length Regulation," <i>Ann. Rev. Biochem.</i> , 65:337 [1996]; | | |
| | BU | Greider, "Telomerase is processive," <i>Mol. Cell. Biol.</i> , 11:4572 [1991]; | | |
| | BV | Wellinger <i>et al.</i> , "Origin activation and formation of single-strand TG ₁₋₃ tails occur sequentially in late S phase on a Yeast linear plasmid," <i>Mol. Cell. Biol.</i> , 13:4057 [1993]; | | |
| | BW | Prescott, "The DNA of ciliated protozoa," <i>Microbiol. Rev.</i> , 58:233 [1994]; | | |
| | BX | Greenwood <i>et al.</i> , "Phylogenetic relationships within the class oligohymenophorea, phylum ciliophora, inferred from the complete small subunit rRNA gene sequences of <i>Colpidium campylum</i> , <i>Glaucoma chattoni</i> , and <i>Opisthionecta henneguyi</i> ," <i>J. Mol. Evol.</i> , 3:163 [1991]; | | |
| | BY | Berger and Kimmel, <i>Guide to Molecular Cloning Techniques</i> , Meth. Enzymol., vol. 152, Academic Press, San Diego CA [1987]; | | |
| | BZ | CCaruthers <i>et al.</i> , "New chemical methods for synthesizing polynucleotides," <i>Nucleic Acids Res. Symp. Ser.</i> , 215-223 [1980]; | | |
| Examiner: | | Date Considered: | | |
| EXAMINER: | | Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |

| | | | |
|---|----|--|--|
| -FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) (37 CFR § 1.98(b)) | | Attorney Docket No.: 015389-002600 Serial No.: 08/912,951 Applicant: Thomas R. Cech <i>et al.</i> Filing Date: August 14, 1997 Group Art Unit: 4815 1646 | |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | |
| MS | CA | Horn <i>et al.</i> , "Synthesis of oligonucleotides on cellulose. Part II: design and synthetic strategy to the synthesis of 22 oligodeoxynucleotides coding for gastric inhibitory polypeptide (GIP)," <i>Nucleic Acids Res. Symp. Ser.</i> , 225-232 [1980]; | |
| | CB | Roberge, <i>et al.</i> , "A strategy for a convergent synthesis of N-linked glycopeptides on a solid support," <i>Science</i> 269:202 [1995]; | |
| | CC | Creighton, <i>Proteins, Structures and Molecular Principles</i> , WH Freeman and Co, New York NY [1983]; | |
| | CD | Sambrook <i>et al.</i> (1989) <i>Molecular Cloning, A Laboratory Manual</i> , Cold Spring Harbor Press, Plainview NY; | |
| | CE | Ausubel <i>et al.</i> (1989) <i>Current Protocols in Molecular Biology</i> , John Wiley & Sons, New York NY; | |
| | CF | Grant <i>et al.</i> , <i>Meth. Enzymol.</i> , 153:516-544 (1987); | |
| | CG | Scharf D <i>et al.</i> , "Heat stress promoters and transcription factors," <i>Results Probl. Cell Differ.</i> 20:125 [1994]; | |
| | CH | Bitter <i>et al.</i> , "Expression and secretion vectors for yeast," <i>Meth. Enzymol.</i> , 153:516 [1987]; | |
| | CI | Wigler <i>et al.</i> , "Transfer of purified herpes virus thymidine kinase gene to cultured mouse cells," <i>Cell</i> 11:223-32 [1977]; | |
| | CJ | Lowy <i>et al.</i> , "Isolation of transforming DNA: Cloning the hamster apt gene," <i>Cell</i> 22:817 [1980]; | |
| | CK | Wigler <i>et al.</i> , "Transformation of mammalian cells with an amplifiable dominant-acting gene," <i>Proc. Natl. Acad. Sci.</i> , 77:3567 [1980]; | |
| | CL | Colbere-Garapin <i>et al.</i> , "A new dominant hybrid selective marker for higher eukaryotic cells," <i>J. Mol. Biol.</i> , 150:1 [1981]; | |
| | CM | Murry, <i>In McGraw Hill Yearbook of Science and Technology</i> , McGraw Hill, New York NY, pp 191-196, [1992]; | |
| | CN | Hartman and Mulligan, "Two dominant-acting selectable markers for gene transfer studies in mammalian cells," <i>Proc. Natl. Acad. Sci.</i> , 85:8047 [1988]; | |
| | CO | Rhodes <i>et al.</i> , "Transformation of maize by electroporation of embryos," <i>Meth. Mol. Biol.</i> , 55:121 [1995]; | |
| | CP | Hampton <i>et al.</i> , <i>Serological Methods a Laboratory Manual</i> , APS Press, St Paul MN [1990]; | |
| | CQ | Maddox <i>et al.</i> , "Elevated serum levels in human pregnancy of a molecule immunochemically similar to eosinophil granule major basic protein," <i>J. Exp. Med.</i> , 158:1211 [1983]; | |
| | CR | Merrifield, "Solid phase peptide synthesis. I. The synthesis of a tetrapeptide," <i>J. Am. Chem. Soc.</i> , 85:2149 [1963]; | |
| | CS | Koehler and Milstein, "Continuous cultures of fused cells secreting antibody of predefined specificity," <i>Nature</i> 256:495-497 [1975]; | |
| | CT | Kosbor <i>et al.</i> , "The production of monoclonal antibodies from human lymphocytes," <i>Immunol Today</i> 4:72 [1983]; | |
| | CU | Cote <i>et al.</i> , "Generation of human monoclonal antibodies reactive with cellular antigens," <i>Proc. Natl. Acad. Sci.</i> , 80:2026-2030 [1983]; | |
| | CV | Cole <i>et al.</i> , "The EBV-hybridoma technique and its application to human lung cancer," <i>Monoclonal Antibodies and Cancer Therapy</i> , Alan R Liss Inc, New York NY, pp 77-96 [1985]; | |
| | CW | Orlandi <i>et al.</i> , "Cloning immunoglobulin variable domains for expression by the polymerase chain reaction," <i>Proc. Natl. Acad. Sci.</i> , 86:3833 [1989]; | |
| | CX | Winter and Milstein, "Man-made antibodies," <i>Nature</i> 349:293 [1991]; | |
| | CY | Huse <i>et al.</i> , "Generation of a large combinatorial library of the immunoglobulin repertoire in phage lambda," <i>Science</i> 246:1275 [1989]; | |
| D | CZ | Melby <i>et al.</i> , "Quantitative measurement of human cytokine gene expression by polymerase chain reaction," <i>J. Immunol. Meth.</i> , 159:235 [1993]; | |
| Examiner: <i>Don R. Schenck</i> | | Date Considered: <i>9/25/98</i> | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | | |
|--|---|---|--------------------------------------|
| FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: 015389-002600 | Serial No.: 08/912,951 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Thomas R. Cech <i>et al.</i> | |
| (37 CFR § 1.98(b)) | | Filing Date: August 14, 1997 | Group Art Unit: 1815 1646 |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | |
| DA | Duplaa <i>et al.</i> , "Quantitative analysis of polymerase chain reaction products using biotinylated dUTP incorporation," <i>Anal. Biochem.</i> , 212:229 [1993]; | | |
| DB | Price, <i>Blood Rev.</i> , 7:127 [1993]; | | |
| DC | Trask, "Fluorescence <i>in situ</i> hybridization: applications in cytogenetics and gene mapping," <i>Trends Genet</i> 7:149 [1991]; | | |
| DD | Verma <i>et al.</i> , <i>Human Chromosomes: A Manual of Basic Techniques</i> , Pergamon Press, New York NY [1988]; | | |
| DE | 1994 Genome Issue of Science (265:1981f); | | |
| DF | Hudson <i>et al.</i> , "An STS-based map of the human genome," <i>Science</i> 270:1945 [1995]; | | |
| DG | Whitehead Institute/MIT Center for Genome Research, Genetic Map of the Mouse, Database Release 10, April 28, 1995; | | |
| DH | Nielsen <i>et al.</i> , "Peptide nucleic acids (PNAs): Potential antisense and anti-gene agents," <i>Anticancer Drug Des.</i> 8:53-63 [1993]; | | |
| DI | Dieffenbach and Dveksler, <i>PCR Primer, a Laboratory Manual</i> , Cold Spring Harbor Press, Plainview NY [1995]; | | |
| DJ | Anderson and Young, "Quantitative Filter Hybridization," in <i>Nucleic Acid Hybridisation</i> pp 73-111 (1985); | | |
| DK | Coombs, <i>Dictionary of Biotechnology</i> , Stockton Press, New York NY [1994]; | | |
| DL | Swanton <i>et al.</i> , "Arrangement of Coding and Non-coding Sequences in the DNA Molecules Coding for rRNAs in <i>Oxytricha</i> sp.," <i>Chromosoma</i> 77:203 [1980]; | | |
| DM | Bradford, "A Rapid and Sensitive method for the Quantitation of Microgram Quantities of Protein Utilizing the Microgram Quantities of Protein Utilizing the Principle of Protein-Dye Binding," <i>Anal. Biochem.</i> , 72:248 [1976]; | | |
| DN | Zaug <i>et al.</i> , "Catalysis of RNA Cleavage by a Ribozyme Derived from the Group I Intron of <i>Anabaena</i> Pre-tRNA ^{Leu} ," <i>Biochemistry</i> 33:14935 [1994]; | | |
| DO | Lamond and Sproat, "Isolation and Characterization of Ribonucleoprotein Complexes," pp 103-140 (1994); | | |
| DP | Calvio <i>et al.</i> , "Identification of hnRNP P2 as TLS/FUS using electrospray mass spectrometry," <i>RNA</i> 1:724 [1995]; | | |
| DQ | Sanger <i>et al.</i> , "DNA sequencing with chain-terminating inhibitors," <i>Proc. Natl. Acad. Sci.</i> , 74:5463 [1977]; | | |
| DR | Collins <i>et al.</i> , "Purification of Tetrahymena telomerase and cloning of genes encoding the two protein components of the enzyme," <i>Cell</i> , 81: 677 (1995); | | |
| DS | Lendvay <i>et al.</i> , "Senescence mutants of <i>Saccharomyces cerevisiae</i> with a defect in telomere replication identify three additional EST genes," <i>Genetics</i> 144 (1996); | | |
| DT | Greider and Blackburn, "Identification of a specific telomere terminal transferase activity in Tetrahymena extracts," <i>Cell</i> 43: 405 (1985); | | |
| DU | Greider and Blackburn, "A telomeric sequence in the RNA of Tetrahymena telomerase required for telomere repeat synthesis," <i>Nature</i> , 337: 331 (1989); | | |
| DV | Romero and Blackburn, "A conserved secondary structure for telomerase RNA," <i>Cell</i> , 67: 343 (1991); | | |
| DW | Conrad <i>et al.</i> , "RAP1 protein interacts with yeast telomers in vivo: overproduction alters telomere structure and decreases chromosome stability," <i>Cell</i> , 63: 739 (1990); | | |
| DX | Fang <i>et al.</i> , "Oxytricha telomere-binding protein: separable DNA-binding and dimerization domains of the α -subunit," <i>Genes Develop.</i> 7: 870 (1993) and Gray <i>et al.</i> , <i>Cell</i> 67: 807 (1991); | | |
| DY | Gottschling and Zakian, "Telomere proteins: specific recognition and protection of the natural termini of Oxytricha macronuclear DNA," <i>Cell</i> 47: 195 (1986); | | |
| DZ | Lamond <i>et al.</i> , "Probing the structure and function of U2 snRNP with antisense oligonucleotides made of 2'-OMe RNA," <i>Cell</i> , 58: 383 (1989); | | |
| Examiner: | [Signature] R. Schermer | | Date Considered: 9/25/98 |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | | |
|--|----|--|--------------------------------------|
| FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | | Attorney Docket No.: 015389-002600 | Serial No.: 08/912,951 |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | Applicant: Thomas R. Cech <i>et al.</i> | |
| (37 DFR § 1.98(b)) | | Filing Date: August 14, 1997 | Group Art Unit: 1845 1646 |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | |
| MS | EA | Lingner <i>et al.</i> , "Reverse transcriptase motifs in the catalytic subunit of telomerase," <i>Science</i> 276: 561 (1997). | |
| | | | |
| | | | |
| Examiner: <i>Don R. Scheiner</i> | | Date Considered: <i>9/25/99</i> | |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | | |

| | | | | | | | |
|--|----|---------------------------|------------------|---|--------------------------------------|--------------------------------------|----------------------------|
| FORM PTO-1449 (Modified) U.S. Department of Commerce Patent and Trademark Office | | | | Attorney Docket No: 015389-002600 | | Serial No.: 08/912,951 | |
| INFORMATION DISCLOSURE STATEMENT BY APPLICANT (Use Several Sheets If Necessary) | | | | Applicant: Thomas R. Cech <i>et al.</i> | | | |
| (37 CFR § 1.98(b)) | | | | Filing Date: August 14, 1997 | | Group Art Unit: 1845 1646 | |
| U.S. PATENT DOCUMENTS | | | | | | | |
| Examiner Initials | | Serial / Patent Number | Issue Date | Applicant / Patentee | Class | Subclass | Filing Date |
| | | | | | | | |
| FOREIGN PATENTS OR PUBLISHED FOREIGN PATENT APPLICATIONS | | | | | | | |
| | | Document Number | Publication Date | Country / Patent Office | Class | Subclass | Translation Yes No |
| ms | FA | WO 96/12811 | 05/02/96 | PCT | G12N | 15/54 | |
| | FB | WO 96/40868 | 12/19/96 | PCT | CN12 | 5/00 | |
| | FC | WO 96/19580 | 06/27/96 | PCT | CN12 | 15/54 | |
| | FD | WO 98/01542 | 01/15/98 | PCT | G12N | 9/12 | |
| | FE | WO 98/01543 | 01/15/98 | PCT | G12N | 9/12 | |
| ↓ | FF | JP 09154575-A | 06/17/97 | JAPAN (Abstract Only) | A61K 038/51 | | X |
| OTHER DOCUMENTS (Including Author, Title, Date, Relevant Pages, Place of Publication) | | | | | | | |

| | | |
|--|----|--|
| ms | FG | Nakayama et al., 1997, "TLP1: A Gene Encoding a Protein Component of Mammalian Telomerase Is a Novel Member of WD Repeats Family" <i>Cell</i> 88:875-84 |
| | FH | Harrington et al., 1997, "A Mammalian Telomerase-Associated Protein," <i>Science</i> 275:973-977 |
| | FI | Autexier et al., 1996, (Reconstitution of human telomerase activity and identification of a minimal functional region of the human telomerase RNA" <i>EMBO J</i> 15:5928-35 |
| | FJ | GenBank Accession No. AA281296 |
| | FK | Lingner et al., 1996, "Purification of telomerase from Euplotes aediculatus: requirement of a primer 3' overhang" <i>Proc. Natl. Acad. Sci. USA</i> 93:10712 |
| | FL | Nakamura et al., 1997, "Telomerase Catalytic Subunit Homologs from Fission Yeast and Human," <i>Science</i> 277: 955. |
| | FM | Counter et al., 1997, "The catalytic subunit of yeast telomerase." <i>Proc. Nat'l Acad. Sci. U S A.</i> 94:9202-9207. |
| | FN | Meyerson et al., 1997, "hEST2, the Putative Human Telomerase Catalytic Subunit Gene, Is Up-Regulated in Tumor Cells and during Immortalization," <i>Cell</i> 90:785-795 |
| | FO | Kilian et al., 1997, "Isolation of a candidate human telomerase catalytic subunit gene, which reveals complex splicing patterns in different cell types," <i>Hum. Mol. Genet.</i> 6:2011-2019. |
| | FP | Harrington et al., 1997, "Human telomerase contains evolutionarily conserved catalytic and structural subunits," <i>Genes Dev.</i> 11:3109-3115. |
| | FQ | Weinrich et al., 1997, "Reconstitution of human telomerase with the template RNA component hTR and the catalytic protein subunit hTRT," <i>Nat. Genet.</i> 1997 Dec 1; 17(4): 498-502. |
| ↓ | FR | Bodnar et al., 1998, "Extension of Life-Span by Introduction of Telomerase into Normal Human Cells," <i>Science</i> 279:349-352. |
| Examiner: <u>John R. Schenier</u> | | Date Considered: <u>9/25/98</u> |
| EXAMINER: Initial citation considered. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. | | |